

Environmentally aware and sustainable. Simply cool.

Use the COOL family to meet all your requirements in terms of interior fittings.





Your unbeatable COOL family!

COOL-FILL

Our COOL-FILL is an ideal choice of filler on the widest variety of woods, priming foils and MDF, even on MDF edges.

- Fast-drying
- Quick and very good sanding properties
- Can be recoated using all conventional lacquer systems

COOL-FILL

Order number: HP 6645-9343 Packaging size: 7 kg, 25 kg









COOL-COLOR

Our COOL-COLOR features great opacity, great scratch resistance and an especially elegant surface formation.

- · As a basecoat and for top coating
- Also suitable for coating decorative glass once a cross-linker is added
- VOC content < 3 %.

COOL-COLOR

Order number: HB 65285-Farbton

Packaging size: 1l, 5l, 25l











COOL-TOP

Our COOL-TOP has a wide range of applications and is suitable both as a basecoat and for open- to closed pored top coat finishing applications.

- Excellent chemical and mechanical resistance
- Especially good at accentuating with brilliance/transparency
- Good sanding properties
- VOC content < 3 %

COOL-TOP

Order number:		Gloss
matt	HE 65092	08-12/125 µm
matt	HE 65093	13-17/125 μm
Silk matt	HE 65094	18-23/125 μm
Silk matt	HE 65096	30-39/125 µm
Satin gloss	HE 65097	40-59/125 µm
Packaging size:	5 l, 25 l	











COOL-NATURA

Surfaces coated with COOL-NATURA are captivating due to their warm, organic natural wood feel. The wood is protected, yet at the same time it appears to be untreated.

- For surfaces with a natural wood effect
- The surface is protected, yet appears to be untreated – from every viewing angle!
- Scratch resistant with good resilience
- VOC content < 3 %.

COOL-NATURA

Order number: HE 64500 Packaging size: 5l, 25l













Hesse GmbH & Co. KG Warendorfer Str. 21 D-59075 Hamm Tel. +49 2381 963 00 www.hesse-lignal.com



Inspire your customers with the surface effect achieved using the COOL family: Simply order your free original sample in an impressive A4 format



